






DORNBRAUCHT PIUR Single-lever mixer Pull-out with spray function - Soft Black

DORNBRAUCHT

33 960 210



- 197mm projection
 - pivotable spout 360°
 - air-enriched flow and spray flow
 - max. flow 5.2 l/min at 3 bar flow pressure
 - lead-free
 - fabric braided hose 1500 mm
- Intrinsic protection against back flow.


	Soft Black	33 960 210-69 0010
	Chrome	33 960 210-00 0010
	Brushed Nickel	33 960 210-70 0010



DORNBRACHT PIUR Single-lever mixer Pull-out with spray function - Soft Black

DORNBRACHT

33 960 210



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
NSF61			


Certificates and sustainability

IAPMO_N-4976	IAPMO_6397	IAPMO_4976 (
--------------	------------	--------------	--

DORNBACHT PIUR Single-lever mixer Pull-out with spray function - Soft Black

DORNBACHT
PIUR

33 960 210
Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	90 28 30 011 00-69	cover	1.00	2
10	90 30 01 200 00 90	shaft	1.00	2
8	90 20 21 001 00-69	handle	1.00	2
5	90 14 15 060 00 90	gasket kit	1.00	2
12	04 30 04 103 00 90	hose	2.00	2
1	90 12 11 181 01-69	shower	1.00	2
11	90 23 10 003 00 90	fixing set	1.00	2
3	90 23 01 051 01 90	flow reducer	1.00	2
13	90 30 04 110 00 90	hose	1.00	2
9	90 27 21 001 00-69	rosette	1.00	2
2	90 14 05 081 00 90	seal	1.00	2
4	90 30 02 101 00 90	hose	1.00	2
6	90 15 05 060 00 90	cartridge	1.00	2