






DORNBRAUCHT PIUR Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 210



- 197mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- max. flow 5.2 l/min at 3 bar flow pressure
- lead-free
- fabric braided hose 1500 mm


Intrinsic protection against back flow.

	Brushed Nickel	33 960 210-70 0010
	Chrome	33 960 210-00 0010
	Soft Black	33 960 210-69 0010




DORNBRACHT PIUR Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 210



Flow rate chart



Codes & Standards

California Energy
Commission
(CEC)

NSF372

NSF61



DORNBRACHT PIUR Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 210

Certificates


IAPMO_6397

IAPMO_N-4976

DORNBRAUCHT PIUR Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 210

Parts for other
finishes can be found
here: [Chrome](#)





DORNBRACHT PIUR Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 210

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 181 01-70	shower	14	2