

## META Bath thermostat for wall mounting with hand shower set - Brushed Dark Platinum

META

34 234 979 Product version from 7/1/2023



- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 60 mm
- 210mm projection
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm

**Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Brushed Dark Platinum	34 234 979-99
	Chrome	34 234 979-00
	Brushed Platinum	34 234 979-06
	Dark Chrome	34 234 979-19
	Light Gold	34 234 979-26
	Brushed Light Gold	34 234 979-27
	Matte Black	34 234 979-33
	Brushed Dark Brass	34 234 979-39
	Brushed Bronze	34 234 979-42
	Brushed Champagne (22kt Gold)	34 234 979-46
	Champagne (22kt Gold)	34 234 979-47
	Brushed Chrome	34 234 979-93

### Required miscellaneous

**Concealed adapter -**

35 080 970-90  
0010




# META Bath thermostat for wall mounting with hand shower set - Brushed Dark Platinum

META

34 234 979 Product version from 7/1/2023  
mm [inches]



## Flow rate chart



## Codes & Standards

California Energy  
Commission  
(CEC)

DIN 4109

ISO 3822

Ü-Zeichen



## META Bath thermostat for wall mounting with hand shower set - Brushed Dark Platinum

META


---

34 234 979 Product version from 7/1/2023

Certificates and sustainability

---

LGA\_18



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
3	90 30 02 072 00-99	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Dark Platinum	1.00	20
4	28 019 979-99	Hand shower - Brushed Dark Platinum	1.00	60
2	28 050 920-99	holder	1.00	-
Spare part can no longer be ordered, please order the replacement item				
1	34 201 979-99	META Bath thermostat for wall mounting without shower set - Brushed Dark Platinum	1.00	20