

Shower thermostat for wall mounting - Chrome

IMO

34 442 979



- slide-on rosettes Ø 70 mm
- gauge 150 mm - 13 mm
- 3/8" shower outlet
- with volume control
- WRAS 2204005

Intrinsic protection against back flow.

For combination with slide bar set

Intrinsic protection against back flow.

For combination with slide bar set

Fits: IMO, LULU, MEM, TARA, LISSÉ, VAIA, META

	Chrome	34 442 979-00
	Brushed Platinum	34 442 979-06
	Platinum	34 442 979-08
	Dark Chrome	34 442 979-19
	Light Gold	34 442 979-26
	Brushed Light Gold	34 442 979-27
	Brushed Durabronze (23kt Gold)	34 442 979-28
	Matte Black	34 442 979-33
	Brushed Bronze	34 442 979-42
	Brushed Champagne (22kt Gold)	34 442 979-46
	Champagne (22kt Gold)	34 442 979-47
	Brushed Chrome	34 442 979-93
	Brushed Dark Platinum	34 442 979-99

Required miscellaneous



Concealed adapter -

- please order two adapters (USA only)


35 080 970-90
0010

Shower thermostat for wall mounting - Chrome


IMO

34 442 979

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower thermostat for wall mounting - Chrome

IMO

34 442 979

Certificates


LGA_29

WRAS_2204

DVGW_DW-
6509DN0

Belgaqua_21-032-2

Product version from 10/1/2023





Shower thermostat for wall mounting - Chrome

IMO

34 442 979

Spare parts list

Product version from 10/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 17 33 015 00-00	handle	18	10