




EDITION PRO Showerpipe with shower thermostat with hand shower set -
Brushed Chrome

34 461 626



- shower with fixed riser projection 541mm
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- hand shower: three settings: normal flow, soft flow, massage flow
- spray head Ø 100mm
- max. hand shower flow 15 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm


	Brushed Chrome	34 461 626-93
	Chrome	34 461 626-00
	Matte Black	34 461 626-33

**EDITION PRO Showerpipe with shower thermostat with hand shower set -
Brushed Chrome**


34 461 626

mm [inches]

1:10



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



EDITION PRO Showerpipe with shower thermostat with hand shower set - Brushed Chrome

34 461 626

Certificates

LGA_29

EDITION PRO Showerpipe with shower thermostat with hand shower set - Brushed Chrome

34 461 626

Parts for other
finishes can be found
here: [Chrome](#)

