



Showerpipe Conversion kit, power supply unit - Soft Black

34 461 832 Product version from 1/1/2023




- shower with fixed riser projection 350mm
- overhead shower: rain flow
- rain shower Ø 250 mm
- rain shower with anti-scale system
- max. rainshower flow 6.8 l/min
- rotary diverter
- height of fittings up to top edge of elbow 750mm
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 590mm
- gauge 590 mm - 13 mm
- slide bar
- " shower outlet

	Soft Black	34 461 832-69 0010
	Chrome	34 461 832-00 0010


Showerpipe Conversion kit, power supply unit - Soft Black

34 461 832 Product version from 1/1/2023

mm [inches]
1.10



Flow rate chart




Codes & Standards

California Energy
Commission
(CEC)

Showerpipe Conversion kit, power supply unit - Soft Black

34 461 832 Product version from 1/1/2023

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 05 024 10-69	shower	1	2
2	90 12 11 183 00-69	shower	1	2
3	90 30 03 008 00-69	hose	1	2
4	90 30 12 520 00-69	slider	1	2
5	90 27 83 021 00-69	rosette	1	2