



LULU Concealed two-way diverter - Chrome

36 200 710 Product version from 4/1/2022



- rotary diverter
- rosette 60 x 78 mm
- with shut-off function

	Chrome	36 200 710-00 0010
	Brushed Platinum	36 200 710-06 0010

Required miscellaneous




Concealed two-way diverter -	35 202 970-90
•max. recess depth mm	0010
•min. recess depth mm	




LULU Concealed two-way diverter - Chrome

36 200 710 Product version from 4/1/2022

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC
----------------	------------------------------------	------



LULU Concealed two-way diverter - Chrome


36 200 710 Product version from 4/1/2022

Certificates

IAPMO_4976 (

LULU Concealed two-way diverter - Chrome

36 200 710 Product version from 4/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 306 10 90	diverter	1	2
2	09 27 71 116-00	rosette	1	60
3	90 31 11 007 00 90	pin	1	2
4	90 14 10 063 00 90	seal	1	2
5	09 16 01 025 90	ring	1	2
6	09 21 02 070-00	cover	1	10
7	09 20 97 030-00	handle	1	10
8	90 30 09 010 00 90	key	1	2