






CL.1 Concealed two-way diverter - Champagne (22kt Gold)

CL.1

36 201 705 Product version from 4/1/2022



- with WAVES structure
- rotary diverter
- rosette 60 x 60 mm
- with shut-off function

| | | |
|---|-------------------------------|--------------------|
|  | Champagne (22kt Gold) | 36 201 705-47 0010 |
|  | Chrome | 36 201 705-00 0010 |
|  | Brushed Platinum | 36 201 705-06 0010 |
|  | Dark Chrome | 36 201 705-19 0010 |
|  | Brushed Champagne (22kt Gold) | 36 201 705-46 0010 |
|  | Brushed Dark Platinum | 36 201 705-99 0010 |


Required miscellaneous



- | | |
|-------------------------------------|---------------|
| Concealed two-way diverter - | 35 202 970-90 |
| •min. recess depth 115 mm | 0010 |
| •max. recess depth 160 mm | |

36 201 705 Product version from 4/1/2022

mm [inches]



Codes & Standards

ADA


ASME A112.18.1

California Energy
Commission
(CEC)

cUPC

Certificates and sustainability

IAPMO_4976 (



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|----------|---------------|---------------|
| 1 | 90 20 70 055 09-47 | handle | 1.00 | 30 |
| 2 | 90 21 02 181 00 90 | disc | 1.00 | 2 |
| 3 | 90 90 03 306 10 90 | diverter | 1.00 | 2 |