

Concealed three-way diverter - Brushed Platinum












CL.1

36 210 740



- rotary diverter
- without rosette
- handle Ø 60mm
- with shut-off function

Fits: CL.1, META, CYO

	Brushed Platinum	36 210 740-06 0010
	Chrome	36 210 740-00 0010
	Dark Chrome	36 210 740-19 0010
	Light Gold	36 210 740-26 0010
	Brushed Light Gold	36 210 740-27 0010
	Brushed Durabronze (23kt Gold)	36 210 740-28 0010
	Matte Black	36 210 740-33 0010
	Brushed Bronze	36 210 740-42 0010
	Brushed Champagne (22kt Gold)	36 210 740-46 0010
	Champagne (22kt Gold)	36 210 740-47 0010
	Brushed Dark Platinum	36 210 740-99 0010

Required miscellaneous



Concealed three-way diverter - 35 203 970-90
 •max. recess depth 160 mm 0010
 •min. recess depth 85 mm




Concealed three-way diverter - Brushed Platinum


CL.1

36 210 740

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

California Energy
Commission
(CEC)

cUPC



Concealed three-way diverter - Brushed Platinum


CL.1

36 210 740

Certificates

IAPMO_4976

Product version from 4/1/2022





Concealed three-way diverter - Brushed Platinum

CL.1

36 210 740

Spare parts list

Product version from 4/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	09 20 74 043-06	handle	12	60