







MADISON xTOOL Concealed thermostat without volume control - Durabrass
(23kt Gold)


36 416 977
Product version from 1/1/2022



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C

	Durabrass (23kt Gold)	36 416 977-09
	Chrome	36 416 977-00
	Brushed Platinum	36 416 977-06
	Platinum	36 416 977-08
	Brushed Durabrass (23kt Gold)	36 416 977-28
	Brushed Dark Platinum	36 416 977-99


Required miscellaneous

	xTOOL Concealed thermostat module - •min. recess depth mm •max. recess depth mm	35 517 970-90 0010
---	--	--------------------



MADISON xTOOL Concealed thermostat without volume control - Durabrass
(23kt Gold)

36 416 977 Product version from 1/1/2022



Codes & Standards


ASME A112.18.1 cUPC

Certificates

IAPMO_4976 (

MADISON xTOOL Concealed thermostat without volume control - Durabrass
(23kt Gold)

36 416 977
Product version from 1/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 11 01 196 00 90	base	1	2
2	09 11 02 543-09	cover	1	40
3	09 31 11 048 90	pin	1	2
4	90 14 10 049 00 90	seal	1	2
5	90 21 02 112 00-09	sleeve	1	40
6	90 17 33 017 00-09	handle	1	40