
















Concealed thermostat with two function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 426 670	Product version up to 8/24/2020		
	<ul style="list-style-type: none"> <li>• rotary diverter with volume control and shut-off function</li> <li>• cover plate 150 x 90 mm</li> <li>• temperature control handle with safety limit stop at 38°C</li> <li>• hot water temperature limiter, can be preset</li> <li>• single flow function only</li> </ul>	<div>  <div> Brushed Dark Platinum 36 426 670-99 0010 </div> </div> <div>  <div> Chrome 36 426 670-00 0010 </div> </div> <div>  <div> Brushed Platinum 36 426 670-06 0010 </div> </div> <div>  <div> Platinum 36 426 670-08 0010 </div> </div> <div>  <div> Dark Chrome 36 426 670-19 0010 </div> </div> <div>  <div> Brushed Light Gold 36 426 670-27 0010 </div> </div> <div>  <div> Brushed Durabrand (23kt Gold) 36 426 670-28 0010 </div> </div> <div>  <div> Matte Black 36 426 670-33 0010 </div> </div> <div>  <div> Brushed Champagne (22kt Gold) 36 426 670-46 0010 </div> </div> <div>  <div> Champagne (22kt Gold) 36 426 670-47 0010 </div> </div> <div>  <div> Brushed Chrome 36 426 670-93 0010 </div> </div>	

Required miscellaneous		Recommended miscellaneous	
	<b>Concealed thermostat for one- and two-way outlets -</b> •max. recess depth 136 mm •min. recess depth 80 mm		
	35 426 970-90 0010	12 340 970 90	
Required miscellaneous			
	xGRID Installation track 555 mm -	12 360 970 90	




Concealed thermostat with two function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 426 670    Product version up to 8/24/2020

mm [inches]




Codes & Standards			
ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC

Certificates and sustainability
IAPMO_4976 (

## Concealed thermostat with two function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 426 670 Product version up to 8/24/2020





## Concealed thermostat with two function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 426 670 Product version up to 8/24/2020

### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
23	90 30 01 190 00 90	disc	1.00	2
18	09 12 12 051-99	base	1.00	20
15	09 12 12 054 90	base	1.00	2
26	09 24 04 257 90	nut	2.00	2
22	09 30 01 296 90	disc	1.00	2
9	90 16 02 027 00 90	spring	1.00	2
6	09 20 67 006-99	handle	1.00	20
20	09 11 02 263-99	plate	1.00	20
19	09 31 11 134 90	pin	1.00	2
12	09 30 30 160-99	screw	1.00	20
10	09 20 33 006-99	handle	1.00	20
21	09 30 30 157 90	screw	4.00	2
28	09 28 10 189 90	regulator	1.00	2
2	09 12 12 053-99	base	1.00	20
27	90 15 02 013 00 90	cartridge	1.00	2
5	90 12 12 002 00 90	fixing cap	1.00	2
7	04 17 33 006 00-99	handle	1.00	60
16	09 28 10 190 90	regulator	1.00	2
1	90 90 03 163 00 90	diverter	1.00	2
11	09 30 30 159-99	screw	1.00	20
3	04 29 06 111 01-00	spindle	1.00	10
17	04 29 06 024 01-00	spindle	1.00	10
13	90 30 30 124 00 90	screw	1.00	2
25	90 18 40 077 01 90	spindle	2.00	2
14	90 12 12 052 00 90	base	1.00	2
24	90 23 01 124 00 90	sleeve	2.00	2
4	90 23 30 023 00 90	nut	2.00	2
8	90 21 33 011 00-13	handle	1.00	2