


36 607 985    Product version from 6/1/2024



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS

	Brushed Dark Platinum	36 607 985-99
	Chrome	36 607 985-00
	Brushed Platinum	36 607 985-06
	Platinum	36 607 985-08
	Dark Chrome	36 607 985-19
	Brushed Light Gold	36 607 985-27
	Brushed Durabrass (23kt Gold)	36 607 985-28
	Brushed Chrome	36 607 985-93

Required miscellaneous

	<div>Wall valve 1/2" -</div> <div> <div>•max. recess depth 145 mm</div> <div>•min. recess depth 75 mm</div> </div>	35 607 970-900010
--	--	-------------------




SYMETRICS Wall valve anti-clockwise closing 1/2" - Brushed Dark Platinum

SYMETRICS

36 607 985    Product version from 6/1/2024

mm [inches]



Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
EN 1111	EN 200	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

Certificates and sustainability

DVGW_DW-6501DN0	WRAS_2011	LGA_29	WRAS_2010	DVGW_DW-6512DN0
LGA_29	IAPMO_4976 (			



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 27 98 014-99	rosette	1.00	20
7	09 21 02 151 90	sleeve	1.00	2
2	09 12 12 005 90	fixing cap	1.00	2
4	09 14 10 017 90	seal	1.00	2
8	90 90 03 202 00 90	top	1.00	2
1	09 20 98 002-99	handle	1.00	20
3	09 12 12 043-99	base	1.00	20
5	90 31 11 004 00 90	pin	1.00	2