






## CYO Wall-mounted single-lever basin mixer without pop-up waste - Chrome

CYO

36 861 811



- 190mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS 2107047

	Chrome	36 861 811-00
	Brushed Platinum	36 861 811-06
	Dark Chrome	36 861 811-19
	Brushed Durabross (23kt Gold)	36 861 811-28
	Brushed Dark Platinum	36 861 811-99


### Required miscellaneous




- Concealed wall-mounted single-lever mixer -** 35 860 970-90 0010
- max. recess depth 95 mm
  - min. recess depth 80 mm
  - Rough can be rotated to position the lever on top or to the left of the spout.

36 861 811

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EPA WaterSense	ISO 3822	NSF372	NSF61
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	Water Sense
WaterSense	<div> <div></div> </div>		



CYO Wall-mounted single-lever basin mixer without pop-up waste - Chrome

CYO

---

36 861 811

Certificates

---

LGA\_38IAPMO\_4976WRAS\_2107IAPMO\_8834IAPMO\_6397

IAPMO\_N-4976





CYO Wall-mounted single-lever basin mixer without pop-up waste - Chrome

CYO

36 861 811

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	13 805 811-00	CYO Wall-mounted basin spout without pop-up waste - Chrome	10	10