

Pressure balanced valve with diverter

36 915 809 Product version from 5/1/2024



- automatic diverter
- cover plate Ø 150 mm

	Brushed Platinum	36 915 809-06
	Chrome	36 915 809-00
	Platinum	36 915 809-08
	Dark Chrome	36 915 809-19
	Brushed Light Gold	36 915 809-27
	Brushed Durabrass (23kt Gold)	36 915 809-28
	Brushed Dark Brass	36 915 809-39
	Brushed Bronze	36 915 809-42
	Brushed Champagne (22kt Gold)	36 915 809-46
	Champagne (22kt Gold)	36 915 809-47
	Brushed Dark Platinum	36 915 809-99

Required miscellaneous




- Pressure balanced valve -** 35 920 970 90
- min. recess depth mm
 - max. recess depth mm


Pressure balanced valve with diverter

36 915 809 Product version from 5/1/2024

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1 cUPC



Pressure balanced valve with diverter


36 915 809 Product version from 5/1/2024

Certificates

IAPMO_4976 (

Pressure balanced valve with diverter

36 915 809 Product version from 5/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 11 02 261-06	plate	1	10
2	09 14 10 084 90	seal	1	2
3	90 15 05 069 00 90	cartridge	1	2
4	09 24 04 448 90	nut	1	2
5	09 11 02 260-06	sleeve	1	10
6	09 20 80 023-06	handle	1	10
7	90 31 11 063 00 90	pin	1	2
8	09 14 10 133 90	seal	1	2
9	09 31 20 087-06	plug	1	10
10	90 21 34 081 00 90	diverter	1	2
11	09 24 03 226 90	adaptor	1	2
12	09 31 09 139-06	pull-rod	1	10
13	09 24 03 227 90	screw	1	2
14	09 20 78 056-06	handle	1	10
15	90 30 09 064 00 90	key	1	2