

BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel

SERIES-VARIOUS

41 401 979 Product version up to 11/4/2019



- head spray 200 x 160mm, 99 nozzles
- body spray 360 x 280mm, 142 nozzles
- cover plate, stainless steel 600 x 480 mm
- 2x flexible connection hose 1/2" - female thread
- 4x mounting pin
- pre-fitted stainless steel enclosure
- with anti-scale system

technical data:

- minimum flow rate 9.5 l/min (both rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 39l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight: 12kg



technical data:

plumbing:

- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed.
Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- feed pipe (hot/cold): 2x DN 20
- for the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which BigRain is used - the specific demand needs to be assessed.
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


Please refer to Planning Guide for proper sizing and installation methods

To meet the North American plumbing standards, this application must be installed with three-way diverter (rough included).

	Stainless Steel	41 401 979-85 0010
	Brushed Stainless Steel	41 401 979-86 0010

BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel SERIES-VARIOUS


41 401 979 Product version up to 11/4/2019
mm [inches]



BIG RAIN Rain panel for recessed ceiling installation manual control - Stainless Steel SERIES-VARIOUS

41 401 979 Product version up to 11/4/2019

Parts for other
finishes can be found
here: Brushed
Stainless Steel



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	04 12 05 004 10 90	shower	1.00	-
Spare part can no longer be ordered, please order the replacement item				
2	04 17 09 001 00-85	casing	1.00	30
3	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	2.00	2
1	04 30 35 010 00 90	fixing set	4.00	2
9	04 29 03 036 00 90	insert	241.00	60
13	09 24 03 027 90	nipple	1.00	2
8	09 31 20 036 90	plug	4.00	2
7	09 30 30 155 90	screw	4.00	2
5	04 21 50 004 01 90	accessories	2.00	2
11	09 24 04 112 10 90	nipple	1.00	2
10	04 11 02 113 02-85	cover	1.00	30
12	09 23 01 042 90	insert	1.00	2
14	09 14 20 025 90	seal	1.00	2
4	90 24 03 027 02 90	nipple	2.00	2
15	35 104 970-90 0010	Concealed three-way diverter -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
35203970-900010 Concealed three-way diverter -				