

TARA Three-hole mixer with rinsing spray set - Brushed Durabrass (23kt Gold)

TARA

ST 110 200 4882



- 235mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500 mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Individual components of this set

You need the following components for this set



1x 20 815 882-28 0010



1x 27 721 970-28

ST 110 200 4882




- 235mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Recommended miscellaneous

AIR SWITCH Control button - 10 713 970-28
Brushed Durabross (23kt Gold)







TARA Three-hole mixer with rinsing spray set - Brushed Durabrass (23kt Gold)

TARA

ST 110 200 4882

Codes & Standards

ADA	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	NSF/ANSI 372
NSF/ANSI/CAN 61	NSF61		




TARA Three-hole mixer with rinsing spray set - Brushed Durabronz (23kt Gold)

TARA

ST 110 200 4882

Product version from 6/30/2009



ST 110 200 4882

Spare parts list

Product version from 6/30/2009



Fits: ELIO, TARA, TARA ULTRA

- with round rosette
- spray flow
- automatic spout/shower diverter
- height of mixer 191 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500 mm
- sprayface with anti-scaling system
- lead-free

Can only be combined with 33826790, 32800790, 33826888, 32815888, 20815892, 33826875.

Intrinsic protection against back flow.

Button has to be pressed while using.

	Brushed Durabrass (23kt Gold)	27 721 970-2
	Chrome	27 721 970-0
	Brushed Platinum	27 721 970-0
	Platinum	27 721 970-0
	Durabrass (23kt Gold)	27 721 970-0
	Dark Chrome	27 721 970-1
	Matte Black	27 721 970-3
	Brushed Champagne (22kt Gold)	27 721 970-4
	Champagne (22kt Gold)	27 721 970-4
	Brushed Chrome	27 721 970-9
	Brushed Dark Platinum	27 721 970-9



TARA Three-hole mixer with rinsing spray set - Brushed Durabross (23kt Gold)

TARA

ST 110 200 4882


8
—
10
—
16
—
18
—
19
—
9
—
3
—
6
—
7
—
3
—
19
—

ST 110 200 4882

mm [inches]



Flow rate chart



Certificates

LGA_29 IAPMO_N-4976 IAPMO_6 LGA_18 Belgaqua_21-027-2



TARA Three-hole mixer with rinsing spray set - Brushed Durabrass (23kt Gold)

TARA

ST 110 200 4882

Codes & Standards

DIN 4109

EN 1717

ISO 3822

NSF372

NSF61

Ü-Zeichen



TARA Three-hole mixer with rinsing spray set - Brushed Durabrass (23kt Gold)

TARA


ST 110 200 4882

ST 110 200 4882

Product version up to 10/27/2020

Product version from 10/27/2020

Parts for other
finishes can be found
here: Chrome





TARA Three-hole mixer with rinsing spray set - Brushed Durabrass (23kt Gold)

TARA

ST 110 200 4882

Spare parts list

Product version up to 10/27/2020

Product version from 10/27/2020

No.	Item Number	Name	Quantity used	Delivery time
	04 24 02 046 01-07	pipe	19	10