


MADISON Shower set without hand shower - Durabrand (23kt Gold)
MADISON

26 413 370
Product version from 4/1/2025



- shower hose connector 1/2"
- metal shower hose 1750mm with integrated anti-twist protection
- slide bar

**Technical data:**









- gauge 850 mm
- rosettes Ø 60 mm
- Pipe diameter 18 mm

**Notes:**


- WRAS

This article does not include a hand shower!

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.


	Durabrand (23kt Gold)	26 413 370-09
	Chrome	26 413 370-00
	Brushed Platinum	26 413 370-06
	Platinum	26 413 370-08
	Brushed Durabrand (23kt Gold)	26 413 370-28
	Brushed Dark Brass	26 413 370-39
	Brushed Bronze	26 413 370-42
	Brushed Dark Platinum	26 413 370-99

Recommended miscellaneous




Concealed adapter -
35 080 970-90 0010

Recommended miscellaneous



MADISON Wall elbow - Durabrand (23kt Gold)
28 450 370-09

Required miscellaneous



MADISON Metal hand shower with porcelain insert (white)
28 002 970-09 0010

FlowReduce - Durabrand (23kt Gold)

Required miscellaneous



MADISON Hand shower
28 002 978-09 0010


FlowReduce - Durabrand (23kt Gold)

- spray head Ø 95mm
- Hand shower see page {PAGE}
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate l/min (at 3 bar)



Codes & Standards			
ASME A112.18.1	cUPC	Scottish Water Byelaws	UK Water Supply Regulations

Certificates and sustainability	
WRAS_2009	IAPMO_4976



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
4	09 31 11 002 90	pin	2.00	2
7	08 28 22 596-09	pipe	1.00	60
5	09 21 40 020-09	connection	2.00	60
2	09 30 30 048 90	screw	2.00	2
1	05 17 97 507 00 90	fixing set	2.00	2
9	28 204 970-09	Metal shower hose 1/2" x 1/2" x 1750 mm - Durabronss (23kt Gold)	1.00	40
6	09 18 40 009 90	sleeve	2.00	2
8	12 580 970-09	slider	1.00	80
3	09 31 11 140 90	pin	2.00	60