

26 632 360-00 0010

26 632 360-06 0010

26 632 360-08 0010

26 632 360-09 0010

26 632 360-28 0010

26 632 360-99 0010



MADISON Showerpipe with shower mixer without hand shower - Chrome

26 632 360



- shower with fixed riser projection 420mm
- overhead shower: rain flow
- rain shower Ø 200 mm
- rain shower with anti-scale system
- max. rainshower flow 6.8 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to top edge of elbow 1180mm
- height of fittings up to rain shower (bottom edge)
 1009mm
- rosette for shower holder Ø 66mm
- rosette for wall mounting Ø 70mm
- rosette for shower mixer Ø 60mm
- gauge 150 mm 13 mm
- metal shower hose 1250mm with integrated antitwist protection
- 1/2" connection
- Pipe diameter 20 mm
- This product reduces water consumption by % (compared to requirements of EPAct '92)
- This product can contribute to Water Use Reduction in LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90) Intrinsic protection against back flow.

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Required miscellaneous

Concealed adapter -

please order two adapters (USA only)

35 080 970-90 0010

Required miscellaneous



MADISON Metal hand shower with 28 002 970-00 porcelain insert (white) 0010 FlowReduce - Chrome

Chrome

Platinum

Gold)

(23kt Gold)

Brushed Dark

Brushed Platinum

Durabrass (23kt

Brushed Durabrass

Required miscellaneous



MADISON Hand shower FlowReduce - Chrome


- ●spray head Ø 95mm
- •Hand shower see page {PAGE}
- •Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate l/min (at 3 bar)

28 002 978-00 0010




MADISON Showerpipe with shower mixer without hand shower - Chrome

26 632 360



Flow rate chart




Codes & Standards

California Energy Commission (CEC)



MADISON Showerpipe with shower mixer without hand shower - Chrome

26 632 360



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 12 05 038 30-00	shower	1	10
2	04 28 22 101 20-00	spout	1	10
3	90 14 10 011 00 90	seal	1	2
4	90 17 11 033 00-00	holder	1	10
5	90 28 22 096 00-00	pipe	1	10
6	04 17 10 001 00-00	fitting	1	60
7	28 104 970-00	Metal shower hose 1/2" x 1/2" x 1250 mm - Chrome	1	2
8	28 050 410-00	holder	1	60