

META Hand shower set FlowReduce - Matte Black

META


27 805 625    Product version from 6/30/2015 to 5/15/2020



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
  - spray head Ø 100mm
  - three settings: normal flow, soft flow, massage flow
  - with anti-scale system
  - metal shower hose 1250mm with integrated anti-twist protection
  - shower holder rosette Ø 55mm
  - This product reduces water consumption by 28% (compared to requirements of EPAct '92)
  - This product can contribute to Water Use Reduction in LEED® Green Building Rating
  - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Intrinsic protection against back flow.

	Matte Black	27 805 625-33 0010
	Chrome	27 805 625-00 0010
	Brushed Platinum	27 805 625-06 0010
	Dark Chrome	27 805 625-19 0010
	Light Gold	27 805 625-26 0010
	Brushed Light Gold	27 805 625-27 0010
	Brushed Durabrass (23kt Gold)	27 805 625-28 0010
	Brushed Bronze	27 805 625-42 0010
	Brushed Champagne (22kt Gold)	27 805 625-46 0010
	Champagne (22kt Gold)	27 805 625-47 0010
	Brushed Chrome	27 805 625-93 0010
	Brushed Dark Platinum	27 805 625-99 0010


Recommended miscellaneous

	<b>Concealed adapter -</b>	35 080 970-90 0010
---	----------------------------	--------------------

Recommended miscellaneous


	<b>Wall elbow - Matte Black</b>	28 450 625-33
---	---------------------------------	---------------

mm [inches]



Codes & Standards			
ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
ISO 3822	Ü-Zeichen		

Certificates and sustainability	
LGA_29	IAPMO_4976



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	90 30 02 072 00-33	Metal shower hose 1/2" x 3/8" x 1250 mm - Matte Black	1.00	30
1	28 011 979-33 0010	shower	1.00	60
3	28 050 625-33	Wall bracket - Matte Black	1.00	10