

28 031 970



Fits: TARA, LISSÉ, VAIA, META

- rain shower Ø 300 mm • PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
 - PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
 - Distance to ceiling from bottom edge of shower 40
 - mm
 - with anti-scale system

Three-way diverter ensures that the product does not exceed the max. flow rate of 2.5 gpm at any setting. It does not permit the use of two functions simultaneously. Three-way diverter trim is sold separately

Pre-assembly kit for three-way diverter included

Three-way diverter ensures that the product does not exceed the max. flow rate of 2.5 gpm at any setting. It does not permit the use of two functions simultaneously.

Three-way diverter trim is sold separately

Pre-assembly kit for three-way diverter included

| Matte Black | 28 031 970-33 0010 |
|-------------------------------------|--------------------|
| Chrome | 28 031 970-00 0010 |
| Brushed Platinum | 28 031 970-06 0010 |
| Platinum | 28 031 970-08 0010 |
| Dark Chrome | 28 031 970-19 0010 |
| Light Gold | 28 031 970-26 0010 |
| Brushed Light Gold | 28 031 970-27 0010 |
| Brushed Durabrass (23kt Gold) | 28 031 970-28 0010 |
| Brushed Bronze | 28 031 970-42 0010 |
| Brushed Champagne (22kt Gold) | 28 031 970-46 0010 |
| Champagne (22kt Gold) | 28 031 970-47 0010 |
| Brushed Chrome | 28 031 970-93 0010 |
| Brushed Dark Platinum | 28 031 970-99 0010 |

Required miscellaneous





35 041 970-90 Concealed ceiling installation box for surface-mounted ceiling 0010 installation -•max. recess depth 115 mm •min. recess depth 90 mm •Pre-assembly kit for three-way diverter included




28 031 970

mm [inches]





Flow rate chart



Codes & Standards

California Energy Commission (CEC) Water Sense




28 031 970

Certificates

IAPMO_11777. IAPMO_4976 (7).



28 031 970



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 90 17 20 263 00 90 | fixing set | 1 | 2 |
| 2 | 90 24 03 309 02 90 | connection | 2 | 2 |