



Rain shower for recessed ceiling installation with light 300 mm - Dark Chrome

28 034 970 Product version from 5/1/2022



Fits: TARA, LISSÉ, VAIA, META

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system

Ceiling module power supply

• 12V DC (CV)

Spot lighting

- LED coloured light RGBW
- Bulbs protected against splashing water

Ambient lighting

- LED coloured light RGBW
- Bulbs protected against splashing water

Activation

- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

Environment

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Three-way diverter trim is sold separately Pre-assembly kit for three-way diverter included includes light bulbs with a Class G energy

Three-way diverter trim is sold separately

Pre-assembly kit for three-way diverter included

includes light bulbs with a Class G energy efficiency

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation with light -

35 034 970-90 0010

- •recess depth mm
- •To be provided by the customer. Zigbee Gateway!
- •Pre-assembly kit for three-way diverter included


Dark Chrome	28 034 970-19 0010
Chrome	28 034 970-00 0010
Brushed Platinum	28 034 970-06 0010
Platinum	28 034 970-08 0010
Light Gold	28 034 970-26 0010
Brushed Light Gold	28 034 970-27 0010
Brushed Durabrass (23kt Gold)	28 034 970-28 0010
Matte Black	28 034 970-33 0010
Brushed Bronze	28 034 970-42 0010
Brushed Champagne (22kt Gold)	28 034 970-46 0010
Champagne (22kt Gold)	28 034 970-47 0010
Brushed Chrome	28 034 970-93 0010
Brushed Dark Platinum	28 034 970-99 0010




Rain shower for recessed ceiling installation with light 300 mm - Dark Chrome

28 034 970 Product version from 5/1/2022

mm [inches]



Flow rate chart




Codes & Standards

California Energy Commission (CEC)



Rain shower for recessed ceiling installation with light 300 mm - Dark Chrome

28 034 970 Product version from 5/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 10 01 221 00 90	electronic accessories	1	2
2	90 24 03 309 02 90	connection	1	2
3	90 10 01 225 00 90	electronic accessories	1	2