





Fits: IMO, LULU, MEM, CL.1, CYO

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 6.8 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- with anti-scale system
- Distance to ceiling from bottom edge of shower 40
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

 Not suitable for use in a steam room.

Three-way diverter ensures that the product does not exceed the max. flow rate of 2.5 gpm at any setting. It does not permit the use of two functions simultaneously.

Three-way diverter trim is sold separately

Pre-assembly kit for three-way diverter included

Three-way diverter ensures that the product does not exceed the max. flow rate of 2.5 gpm at any setting. It does not permit the use of two functions simultaneously.

Three-way diverter trim is sold separately

Pre-assembly kit for three-way diverter included

Brushed Dark Platinum	28 041 980-99 0010
Chrome	28 041 980-00 0010
Brushed Platinum	28 041 980-06 0010
Platinum	28 041 980-08 0010
Dark Chrome	28 041 980-19 0010
Brushed Light Gold	28 041 980-27 0010
Brushed Durabrass (23kt Gold)	28 041 980-28 0010
Matte Black	28 041 980-33 0010
Brushed Champagne (22kt Gold)	28 041 980-46 0010
Champagne (22kt Gold)	28 041 980-47 0010
Brushed Chrome	28 041 980-93 0010

Required miscellaneous



Concealed ceiling installation box for surface-mounted ceiling installation -


35 041 970-90 0010


- •max. recess depth 115 mm
- •min. recess depth 90 mm
- Pre-assembly kit for three-way diverter included






28 041 980 mm [inches]





Flow rate chart



Codes & Standards

ASME A112.18.1 California Energy cUPC EPA WaterSense Commission

Water Sense WaterSense



(CEC)



IMO

28 041 980

Certificates

IAPMO_4976


IAPMO_11





28 041 980

Product version from 5/1/2022





IMO

28 041 980

Spare parts list

Product version from 5/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	90 17 20 263 00 90	fixing set	3	2