














28 450 625



- 3/8" shower outlet
 - rosette Ø 55 mm
 - 1/2" connection
 - WRAS 1811023
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

Fits: TARA, META

	Chrome	28 450 625-00
	Brushed Platinum	28 450 625-06
	Platinum	28 450 625-08
	Dark Chrome	28 450 625-19
	Light Gold	28 450 625-26
	Brushed Light Gold	28 450 625-27
	Brushed Durabronze (23kt Gold)	28 450 625-28
	Matte Black	28 450 625-33
	Brushed Bronze	28 450 625-42
	Brushed Champagne (22kt Gold)	28 450 625-46
	Champagne (22kt Gold)	28 450 625-47
	Brushed Chrome	28 450 625-93
	Brushed Dark Platinum	28 450 625-99

Required miscellaneous


Concealed adapter -

35 080 970-90
0010



28 450 625

mm [inches]



Flow rate chart



Codes & Standards

ASME
A112.18.1/CSA
B125.1



Wall elbow - Chrome


TARA

28 450 625

Certificates

IAPMO_4976 (5). WRAS_1811023. Belgaqua_21-381-27_7. ACS_20 ACC LY 739.

28 450 625



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 14 10 026 00 90	seal	1	2
2	09 27 22 503-00	rosette	1	10
3	09 16 01 014 90	ring	1	2
4	90 23 01 141 00 90	back-flow preventer	2	2
5	09 11 03 036-00	connection	1	10
6	90 21 02 069 00-00	cover	1	10