

LULU Shower head FlowReduce - Chrome

LULU



28 508 710 Product version up to 5/15/2020



- spray head Ø 92mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 5 l/min
- with anti-scale system


Technical data:

- 200mm projection
- ball-joint pivotable through 30°
- rosette 78 x 55 mm
- 1/2" connection

| | | |
|---|------------------|--------------------|
|  | Chrome | 28 508 710-00 0010 |
|  | Brushed Platinum | 28 508 710-06 0010 |

28 508 710 Product version up to 5/15/2020

mm [inches]



Codes & Standards

| | | | |
|----------------|------------------------------------|-----------|------------|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC | DIN 4109 |
| EPA WaterSense | ISO 3822 | Ü-Zeichen | WaterSense |




Certificates and sustainability

| | | |
|--------|------------|-------------|
| LGA_38 | IAPMO_4976 | IAPMO_11777 |
|--------|------------|-------------|

28 508 710 Product version up to 5/15/2020

Parts for other
 finishes can be found
 here: Brushed
 Platinum



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 5 | 04 12 11 110 30-00 | shower | 1.00 | 10 |
| 2 | 09 31 11 048 90 | pin | 1.00 | 2 |
| 3 | 09 14 10 098 90 | seal | 1.00 | 2 |
| 4 | 09 11 03 011-00 | connection | 1.00 | 10 |
| 1 | 09 27 71 027-00 | rosette | 1.00 | 10 |