

33 233 660



- spout: circular, air-enriched flow
- max. flow 14 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- 202mm projection
- slide-on rosettes Ø 60 mm
- gauge 150 mm - 15 mm
- 1/2" connection
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm

Intrinsic protection against back flow.


Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)


	Chrome	33 233 660-00
	Brushed Platinum	33 233 660-06
	Dark Chrome	33 233 660-19
	Light Gold	33 233 660-26
	Brushed Light Gold	33 233 660-27
	Matte Black	33 233 660-33
	Brushed Bronze	33 233 660-42
	Brushed Champagne (22kt Gold)	33 233 660-46
	Champagne (22kt Gold)	33 233 660-47
	Brushed Chrome	33 233 660-93
	Brushed Dark Platinum	33 233 660-99

Required miscellaneous


	Concealed adapter - ●please order two adapters (USA only)	35 080 970-90 0010
---	---	-----------------------

33 233 660

mm [inches]



Flow rate chart



Codes & Standards

California Energy
Commission
(CEC)



META Single-lever bath mixer for wall mounting with hand shower set - Chrome


META

33 233 660

Certificates

Belgaqua_21-025- 27_1. LGA_29687. WRAS_2207043.

33 233 660



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	33 200 660-00	META Single-lever bath mixer for wall mounting without shower set - Chrome	1	10
2	28 050 920-00	holder	1	60
3	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome	1	10
4	90 12 11 140 30-00	shower	1	10