

33 865 895



- 200mm projection
- Flexible silicone hose with large operating range of up to 350 mm
- pivotable 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- air-enriched flow and spray flow
- height of mixer 451 mm
- height up to aerator 119 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- sprayface with anti-scaling system
- max. flow 5.7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Switch back and forth between aerator and spray mode while water is running.

|   |                               |                    |
|---|-------------------------------|--------------------|
|    | Matte Black                   | 33 865 895-33 0010 |
|    | Chrome                        | 33 865 895-00 0010 |
|    | Brushed Platinum              | 33 865 895-06 0010 |
|    | Platinum                      | 33 865 895-08 0010 |
|    | Durabrace (23kt Gold)         | 33 865 895-09 0010 |
|    | Dark Chrome                   | 33 865 895-19 0010 |
|    | Brushed Durabrace (23kt Gold) | 33 865 895-28 0010 |
|    | Brushed Champagne (22kt Gold) | 33 865 895-46 0010 |
|    | Champagne (22kt Gold)         | 33 865 895-47 0010 |
|   | Brushed Chrome                | 33 865 895-93 0010 |
|  | Brushed Dark Platinum         | 33 865 895-99 0010 |

**Recommended miscellaneous**

**Swivel limitation set -** 12 821 970 90



**Recommended miscellaneous**

**Dispenser without rosette - Matte Black** 82 424 970-33




**Recommended miscellaneous**

**AIR SWITCH Control button - Matte Black** 10 713 970-33



33 865 895



**Flow rate chart**



**Codes & Standards**

ADA

ASME  
A112.18.1/CSA  
B125.1

California Energy  
Commission  
(CEC)

NSF/ANSI 372

NSF/ANSI/CAN  
61



## SYNC Profi single-lever mixer - Matte Black

---

SYNC

33 865 895

### Certificates

---

IAPMO\_N-4976 (2). IAPMO\_6397 (1).

33 865 895

