

META Bath thermostat for wall mounting without shower set - Dark Chrome

META

34 201 979



- 210mm projection
- circular normal flow
- rotary diverter with volume control and shut-off function
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 16.9 l/min at 3 bar flow pressure
- WRAS

Intrinsic protection against back flow.

Intrinsic protection against back flow.

| | | |
|--|-------------------------------|---------------|
| | Dark Chrome | 34 201 979-19 |
| | Chrome | 34 201 979-00 |
| | Brushed Platinum | 34 201 979-06 |
| | Light Gold | 34 201 979-26 |
| | Brushed Light Gold | 34 201 979-27 |
| | Matte Black | 34 201 979-33 |
| | Brushed Bronze | 34 201 979-42 |
| | Brushed Champagne (22kt Gold) | 34 201 979-46 |
| | Champagne (22kt Gold) | 34 201 979-47 |
| | Brushed Chrome | 34 201 979-93 |
| | Brushed Dark Platinum | 34 201 979-99 |

Required miscellaneous



Concealed adapter -
 •please order two adapters (USA only)

35 080 970-90
 0010

34 201 979

mm [inches]



Flow rate chart



Codes & Standards

California Energy
Commission
(CEC)

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



META Bath thermostat for wall mounting without shower set - Dark Chrome

META

34 201 979

Certificates and sustainability

LGA_18

WRAS_2201

34 201 979

