

Shower thermostat for wall mounting - Brushed Champagne (22kt Gold)
SERIES SPECIFIC

34 442 979    Product version from 10/1/2023



- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control
- WRAS

Intrinsic protection against back flow.


For combination with slide bar set

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.


	Brushed Champagne (22kt Gold)	34 442 979-46
	Chrome	34 442 979-00
	Brushed Platinum	34 442 979-06
	Platinum	34 442 979-08
	Dark Chrome	34 442 979-19
	Light Gold	34 442 979-26
	Brushed Light Gold	34 442 979-27
	Brushed Durabrass (23kt Gold)	34 442 979-28
	Matte Black	34 442 979-33
	Brushed Dark Brass	34 442 979-39
	Brushed Bronze	34 442 979-42
	Champagne (22kt Gold)	34 442 979-47
	Brushed Chrome	34 442 979-93
	Brushed Dark Platinum	34 442 979-99

34 442 979 Product version from 10/1/2023

mm [inches]



## Flow rate chart



## Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Shower thermostat for wall mounting - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

34 442 979    Product version from 10/1/2023

Certificates and sustainability

---

DVGW_DW- 6509DN0	LGA_29	WRAS_2204
---------------------	--------	-----------

## Shower thermostat for wall mounting - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

34 442 979 Product version from 10/1/2023

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
9	09 24 77 008-00	nut	2.00	10
7	09 29 30 050 90	sieve	2.00	2
3	90 30 40 010 00 90	regulator	1.00	2
11	90 30 40 017 00 90	base	1.00	2
4	04 31 20 530 00 90	insert	1.00	2
13	09 31 20 511-46	nipple	1.00	60
6	90 31 20 512 00-46	rosette	2.00	30
5	04 11 04 030 00 90	connection	2.00	2
1	90 17 33 015 00-46	handle	2.00	30
8	04 31 20 540 00 90	insert	1.00	2
2	90 15 02 070 00 90	cartridge	1.00	2
10	90 90 03 236 00 90	top	1.00	2
12	90 14 10 010 00 90	seal	1.00	2
14	90 21 02 069 00-46	cover	1.00	30