

## Shower thermostat for wall installation - Chrome

34 443 979



- slide-on rosettes Ø 70 mm
  - gauge 150 mm - 13 mm
  - 3/8" shower outlet
  - with volume control
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Chrome	34 443 979-00
	Brushed Platinum	34 443 979-06
	Platinum	34 443 979-08
	Dark Chrome	34 443 979-19
	Brushed Durabrass (23kt Gold)	34 443 979-28
	Matte Black	34 443 979-33
	Brushed Champagne (22kt Gold)	34 443 979-46
	Champagne (22kt Gold)	34 443 979-47
	Brushed Chrome	34 443 979-93
	Brushed Dark Platinum	34 443 979-99

### Required miscellaneous



**Concealed adapter -** 35 080 970-90  
 • please order two adapters (USA only) 0010

### Required miscellaneous




**TARA Regulator handle - Chrome** 11 431 892-00

## Shower thermostat for wall installation - Chrome

---


34 443 979

mm [inches]



### Flow rate chart

---



### Certificates


---

Belgaqua\_22\_281\_2 LGA\_29986.  
7\_5.

WRAS\_2204005.

**Shower thermostat for wall installation - Chrome**

34 443 979



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 17 33 015 00-00	handle	1	10
2	90 15 02 070 00 90	cartridge	1	2
3	90 30 40 010 00 90	regulator	1	2
4	04 31 20 530 00 90	insert	1	2
5	04 11 04 030 00 90	connection	2	2
6	90 31 20 512 00-00	rosette	2	2
7	09 29 30 050 90	sieve	2	2
8	04 31 20 540 00 90	insert	1	2
9	09 24 77 008-00	nut	2	10
10	90 90 03 236 00 90	top	1	2
11	90 30 40 017 00 90	base	1	2
12	90 14 10 010 00 90	seal	1	2
13	09 31 20 511-00	nipple	1	10
14	90 21 02 069 00-00	cover	1	10