

## MEM Wall valve - Brushed Dark Platinum

MEM

36 310 782 Product version from 3/10/2014 to 10/14/2020



- rosette 60 x 60 mm

**Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 crosspieces.**

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 crosspieces.

	Brushed Dark Platinum	36 310 782-99
	Chrome	36 310 782-00
	Brushed Platinum	36 310 782-06
	Platinum	36 310 782-08
	Dark Chrome	36 310 782-19
	Brushed Champagne (22kt Gold)	36 310 782-46
	Champagne (22kt Gold)	36 310 782-47
	Cyprus	36 310 782-49
	Brushed Chrome	36 310 782-93

### Required miscellaneous



**Wall valve clockwise closing 1/2" - 35 621 970-90**

- min. recess depth 85 mm
- max. recess depth 130 mm

MEM Wall valve - Brushed Dark Platinum

MEM

36 310 782 Product version from 3/10/2014 to 10/14/2020

mm [inches]




Codes & Standards

ADA	ASME A112.18.1	cUPC
-----	----------------	------

Certificates and sustainability

IAPMO\_4976 (



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 21 02 108 90	disc	1.00	60
2	90 20 78 002 02-99	handle	1.00	20
3	90 20 78 002 01-99	handle	1.00	20