














**Concealed thermostat with one function volume control - Brushed Dark  
Platinum**

META

36 425 970



- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset


|   |                                   |                    |
|---|-----------------------------------|--------------------|
|    | Brushed Dark Platinum             | 36 425 970-99 0010 |
|    | Chrome                            | 36 425 970-00 0010 |
|    | Brushed Platinum                  | 36 425 970-06 0010 |
|    | Platinum                          | 36 425 970-08 0010 |
|    | Dark Chrome                       | 36 425 970-19 0010 |
|    | Light Gold                        | 36 425 970-26 0010 |
|    | Brushed Light Gold                | 36 425 970-27 0010 |
|    | Brushed Durabronze<br>(23kt Gold) | 36 425 970-28 0010 |
|   | Matte Black                       | 36 425 970-33 0010 |
|  | Brushed Bronze                    | 36 425 970-42 0010 |
|  | Brushed Champagne (22kt<br>Gold)  | 36 425 970-46 0010 |
|  | Champagne (22kt<br>Gold)          | 36 425 970-47 0010 |
|  | Brushed Chrome                    | 36 425 970-93 0010 |

**Required miscellaneous**




- Concealed thermostat for one-  
and two-way outlets -** 35 426 970-90  
0010
- max. recess depth 136 mm
  - min. recess depth 80 mm

36 425 970  
mm [inches]



Flow rate chart



Codes & Standards

|     |               |
|-----|---------------|
| ADA | ASME          |
|     | A112.18.1/CSA |
|     | B125.1        |



Concealed thermostat with one function volume control - Brushed Dark  
Platinum

---

META


36 425 970

Certificates

---

IAPMO\_4976 (4).

36 425 970





## Concealed thermostat with one function volume control - Brushed Dark Platinum

META

36 425 970

### Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 90 90 03 166 00 90 | top        | 1             | 2             |
| 2   | 09 12 12 053-99    | base       | 1             | 30            |
| 3   | 04 29 06 111 01-00 | spindle    | 1             | 10            |
| 4   | 90 23 30 023 00 90 | nut        | 2             | 2             |
| 5   | 90 12 12 002 00 90 | fixing cap | 1             | 2             |
| 6   | 09 20 67 006-99    | handle     | 1             | 30            |
| 7   | 90 17 33 019 00-99 | handle     | 1             | 30            |
| 8   | 90 30 30 124 00 90 | screw      | 1             | 2             |
| 9   | 90 12 12 052 00 90 | base       | 1             | 2             |
| 10  | 09 12 12 054 90    | base       | 1             | 2             |
| 11  | 09 28 10 190 90    | regulator  | 1             | 2             |
| 12  | 04 29 06 024 01-00 | spindle    | 1             | 10            |
| 13  | 09 12 12 051-99    | base       | 1             | 30            |
| 14  | 09 31 11 134 90    | pin        | 1             | 2             |
| 15  | 09 11 02 242-99    | plate      | 1             | 30            |
| 16  | 09 30 30 157 90    | screw      | 4             | 2             |
| 17  | 09 30 01 296 90    | disc       | 1             | 2             |
| 18  | 90 30 01 190 00 90 | disc       | 1             | 2             |
| 19  | 90 23 01 124 00 90 | sleeve     | 2             | 2             |
| 20  | 90 18 40 077 01 90 | spindle    | 2             | 2             |
| 21  | 09 24 04 257 90    | nut        | 2             | 2             |
| 22  | 90 15 02 013 00 90 | cartridge  | 1             | 2             |
| 23  | 09 28 10 189 90    | regulator  | 1             | 2             |