
















Concealed thermostat with three function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 428 670	Product version from 3/13/2017 to 9/26/2018	
	<ul style="list-style-type: none"> rotary diverter with volume control and shut-off function cover plate 150 x 90 mm temperature control handle with safety limit stop at 38°C hot water temperature limiter, can be preset single flow function only 	<div> <div>  </div> <div> Brushed Dark Platinum </div> <div> 36 428 670-99 0010 </div> </div>
		<div> <div>  </div> <div> Chrome </div> <div> 36 428 670-00 0010 </div> </div>
		<div> <div>  </div> <div> Brushed Platinum </div> <div> 36 428 670-06 0010 </div> </div>
		<div> <div>  </div> <div> Platinum </div> <div> 36 428 670-08 0010 </div> </div>
		<div> <div>  </div> <div> Dark Chrome </div> <div> 36 428 670-19 0010 </div> </div>
		<div> <div>  </div> <div> Brushed Light Gold </div> <div> 36 428 670-27 0010 </div> </div>
		<div> <div>  </div> <div> Brushed Durabass (23kt Gold) </div> <div> 36 428 670-28 0010 </div> </div>
		<div> <div>  </div> <div> Matte Black </div> <div> 36 428 670-33 0010 </div> </div>
		<div> <div>  </div> <div> Brushed Champagne (22kt Gold) </div> <div> 36 428 670-46 0010 </div> </div>
		<div> <div>  </div> <div> Champagne (22kt Gold) </div> <div> 36 428 670-47 0010 </div> </div>
		<div> <div>  </div> <div> Brushed Chrome </div> <div> 36 428 670-93 0010 </div> </div>

Required miscellaneous		Recommended miscellaneous	
	Concealed thermostat for three-way outlets - <ul style="list-style-type: none"> max. recess depth 136 mm min. recess depth 80 mm 		xGRID Attachment set for integrating in the dry wall construction -
	35 428 970-90 0010		12 340 970 90
Required miscellaneous			
	xGRID Installation track 555 mm -	12 360 970 90	




Concealed thermostat with three function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 428 670 Product version from 3/13/2017 to 9/26/2018

mm [inches]




Codes & Standards			
ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC

Certificates and sustainability
IAPMO_4976 (

Concealed thermostat with three function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 428 670 Product version from 3/13/2017 to 9/26/2018





Concealed thermostat with three function volume control - Brushed Dark Platinum

SERIES SPECIFIC

36 428 670 Product version from 3/13/2017 to 9/26/2018

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
15	09 11 02 323-99	plate	1.00	20
7	90 17 33 019 00-99	handle	1.00	20
5	90 12 12 002 00 90	fixing cap	1.00	2
17	09 30 01 296 90	disc	1.00	2
23	09 28 10 189 90	regulator	1.00	2
16	09 30 30 157 90	screw	4.00	2
14	09 31 11 134 90	pin	1.00	2
22	90 15 02 013 00 90	cartridge	1.00	2
1	90 90 03 170 00 90	diverter	1.00	2
10	09 12 12 054 90	base	1.00	2
21	09 24 04 257 90	nut	2.00	2
13	09 12 12 051-99	base	1.00	20
18	90 30 01 190 00 90	disc	1.00	2
2	09 12 12 053-99	base	1.00	20
11	09 28 10 190 90	regulator	1.00	2
6	09 20 67 006-99	handle	1.00	20
3	04 29 06 111 01-00	spindle	1.00	10
9	90 12 12 052 00 90	base	1.00	2
4	90 23 30 023 00 90	nut	2.00	2
12	04 29 06 024 01-00	spindle	1.00	10
19	90 23 01 124 00 90	sleeve	2.00	2
8	90 30 30 124 00 90	screw	1.00	2
20	90 18 40 077 01 90	spindle	2.00	2