


LISSÉ Concealed thermostat with three function volume control - Brushed Dark Platinum








LISSÉ

36 428 845


Product version from 6/30/2022



- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- hot water temperature limiter, can be preset
- temperature control handle with safety limit stop at 38°C
- single flow function only

	Brushed Dark Platinum	36 428 845-99 0010
	Chrome	36 428 845-00 0010
	Brushed Platinum	36 428 845-06 0010
	Dark Chrome	36 428 845-19 0010
	Brushed Light Gold	36 428 845-27 0010
	Matte Black	36 428 845-33 0010
	Brushed Chrome	36 428 845-93 0010

Required miscellaneous




Concealed thermostat for three-way outlets -

35 428 970-90 0010

- min. recess depth 80 mm
- max. recess depth 136 mm


Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction -

12 340 970 90

Required miscellaneous



xGRID Installation track 555 mm -

12 360 970 90

We reserve the right to change designs, product range and technical specifications without prior notice.

More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com

1/3


5/23/2025



LISSE Concealed thermostat with three function volume control - Brushed Dark Platinum

LISSE

36 428 845 Product version from 6/30/2022
mm [inches]



Codes & Standards

ADA	California Energy Commission (CEC)
-----	------------------------------------

LISSÉ Concealed thermostat with three function volume control - Brushed Dark Platinum

LISSÉ

36 428 845 Product version from 6/30/2022

