

Concealed thermostat with three function volume control - Brushed Champagne
SERIES SPECIFIC  
(22kt Gold)


36 428 970
Product version from 6/30/2022




- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- single flow function only

	Brushed Champagne (22kt Gold)	36 428 970-46 0010
	Chrome	36 428 970-00 0010
	Brushed Platinum	36 428 970-06 0010
	Platinum	36 428 970-08 0010
	Dark Chrome	36 428 970-19 0010
	Light Gold	36 428 970-26 0010
	Brushed Light Gold	36 428 970-27 0010
	Brushed Durabrass (23kt Gold)	36 428 970-28 0010
	Matte Black	36 428 970-33 0010
	Brushed Bronze	36 428 970-42 0010
	Champagne (22kt Gold)	36 428 970-47 0010
	Brushed Chrome	36 428 970-93 0010
	Brushed Dark Platinum	36 428 970-99 0010


Required miscellaneous

	<b>Concealed thermostat for three-way outlets -</b> •max. recess depth 136 mm •min. recess depth 80 mm	35 428 970-90 0010
---	--	--------------------

Required miscellaneous

	<b>xGRID Installation track 555 mm -</b>	12 360 970 90
---	--	---------------


Recommended miscellaneous

	<b>xGRID Attachment set for integrating in the dry wall construction -</b>	12 340 970 90
---	--	---------------



Concealed thermostat with three function volume control - Brushed Champagne SERIES SPECIFIC (22kt Gold)

36 428 970 Product version from 6/30/2022  
mm [inches]



Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
-----	----------------	------------------------------------	------

Certificates and sustainability

IAPMO\_4976 (

## Concealed thermostat with three function volume control - Brushed Champagne SERIES SPECIFIC (22kt Gold)

36 428 970 Product version from 6/30/2022

