

36 060 809 Produktversion ab 01.04.2025

- Abdeckplatte 80 x 80 mm



	Messing gebürstet (23kt Gold)	36 060 809-28
	Chrom	36 060 809-00
	Platin gebürstet	36 060 809-06
	Platin	36 060 809-08
	Dark Chrome	36 060 809-19
	Dark Brass gebürstet	36 060 809-39
	Bronze gebürstet	36 060 809-42
	Champagne gebürstet (22kt Gold)	36 060 809-46
	Champagne (22kt Gold)	36 060 809-47
	Dark Platinum gebürstet	36 060 809-99


**Benötigtes Zubehör**




- UP-Wand-Einhandbatterie -** 35 860 970 90
- Max. Einbautiefe 95 mm
  - Min. Einbautiefe 80 mm

36 060 809 Produktversion ab 01.04.2025

mm [inches]



Durchflussdiagramm



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## VAIA UP-Einhandbatterie mit Abdeckplatte - Messing gebürstet (23kt Gold)

---


VAIA

36 060 809 Produktversion ab 01.04.2025

Zertifikate und Nachhaltigkeit

---

LGA\_29



**Ersatzteilstückliste**

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
1	90 15 05 064 01 90	Kartusche	1,00	2
4	90 31 20 087 00-28	Stopfen	1,00	20
6	09 20 80 021-28	Griff	1,00	20
2	90 27 80 032 00-28	Rosette	1,00	20
3	09 11 02 293-28	Haube	1,00	60
5	90 31 11 063 00 90	Stift	1,00	2
7	90 30 09 064 00 90	Schlüssel	1,00	2
8	12 869 970 90	Verlängerung 20 mm -	1,00	2