


## UP-Wandbatterie Auslauf links -

---

35 713 970 90




- DR-Messing, bleifrei
- 2x Anschluss IG 1/2"
- 3x Abgang IG 1/2"
- 3x Verschlussstopfen 1/2"
- 3x Rohbau-Schutzhauben
- Schalldämmung
- Stichmaß 100 mm

**UP-Wandbatterie Auslauf links -**


35 713 970 90

mm [inches]



|           | min         | max          |
|-----------|-------------|--------------|
| Supernova | 65 [2 1/2"] | 130 [5 1/8"] |
| Deque     | 65 [2 1/2"] | 130 [5 1/8"] |
| Tara      | 65 [2 1/2"] | 130 [5 1/8"] |
| Waia      | 64 [2 1/2"] | 136 [5 3/8"] |
| CL-2      | 97 [3 7/8"] | 120 [4 3/4"] |

**Durchflussdiagramm**



**Codes & Standards**

DIN 4109

ISO 3822

Ü-Zeichen

XP P 41-280



## UP-Wandbatterie Auslauf links -

---

35 713 970 90

### Zertifikate

---


ACS\_21 ACC LY

LGA\_19

LGA\_19

UP-Wandbatterie Auslauf links -

35 713 970 90





## UP-Wandbatterie Auslauf links -

---

35 713 970 90

### Ersatzteilstückliste

| Nr. | Artikelnummer   | Benennung | Verbaumenge | Lieferzeit |
|-----|-----------------|-----------|-------------|------------|
|     | 09 11 11 043 90 | Zubehoer  | 17          | 2          |