


UP-Wandbatterie Auslauf rechts -

35 714 970 90




- DR-Messing, bleifrei
- 2x Anschluss IG 1/2"
- 3x Abgang IG 1/2"
- 3x Verschlussstopfen 1/2"
- 3x Rohbau-Schutzhauben
- Schalldämmung
- Stichmaß 100 mm

UP-Wandbatterie Auslauf rechts -


35 714 970 90

mm [inches]



	min	max
Supernova	65 [2 1/2"]	130 [5 1/8"]
Deque	65 [2 1/2"]	130 [5 1/8"]
Tara	65 [2 1/2"]	130 [5 1/8"]
Vaia	64 [2 1/2"]	136 [5 3/8"]
CL 2	97 [3 7/8"]	120 [4 3/4"]

Durchflussdiagramm



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

XP P 41-280



UP-Wandbatterie Auslauf rechts -

35 714 970 90

Zertifikate


ACS_21 ACC LY

LGA_19

LGA_19

UP-Wandbatterie Auslauf rechts -

35 714 970 90





UP-Wandbatterie Auslauf rechts -

35 714 970 90

Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
	09 11 11 043 90	Zubehoer	17	2