

36 060 670

- Abdeckplatte 80 x 80 mm



Passt zu: IMO, MEM, CL.1, CYO

	Champagne gebürstet (22kt Gold)	36 060 670-46
	Chrom	36 060 670-00
	Platin gebürstet	36 060 670-06
	Platin	36 060 670-08
	Dark Chrome	36 060 670-19
	Light Gold gebürstet	36 060 670-27
	Messing gebürstet (23kt Gold)	36 060 670-28
	Schwarz matt	36 060 670-33
	Champagne (22kt Gold)	36 060 670-47
	Chrom gebürstet	36 060 670-93
	Dark Platinum gebürstet	36 060 670-99


**Benötigtes Zubehör**



- UP-Wand-Einhandbatterie -** 35 860 970 90
- Max. Einbautiefe 95 mm
  - Min. Einbautiefe 80 mm

36 060 670


mm [inches]



Zertifikate

LGA\_29905.

36 060 670



### Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
1	90 15 05 064 01 90	Kartusche	1	2
2	09 24 04 105 90	Mutter	1	2
3	90 14 10 049 00 90	Dichtung	1	2
4	09 27 78 048-46	Rosette	1	30
5	09 11 02 530-46	Haube	1	30
6	90 31 20 087 00-46	Stopfen	1	30
7	90 31 11 112 00 90	Stift	1	2
8	09 20 67 004-46	Griff	1	30
9	90 30 09 064 00 90	Schlüssel	1	2