

## Coude mural - Dark Chrome
















SERIES SPECIFIC

28 450 625



- sortie douche 3/8"
- rosace Ø 55 mm
- raccord 1/2"

Avec sécurité anti-retour.

	Dark Chrome	28 450 625-19
	Chrome	28 450 625-00
	chrome brossé	28 450 625-04
	Platine brossé	28 450 625-06
	Platine	28 450 625-08
	Light Gold	28 450 625-26
	Light Gold brossé	28 450 625-27
	Laiton brossé (Or 23cts)	28 450 625-28
	Noir mat	28 450 625-33
	Dark Brass brossé	28 450 625-39
	Bronze brossé	28 450 625-42
	aluminium	28 450 625-45
	Champagne brossé (Or 22cts)	28 450 625-46
	Champagne (Or 22cts)	28 450 625-47
	Chrome brossé	28 450 625-93
	Dark Platinum brossé	28 450 625-99

### Accessoires recommandés



- Coude mural à encastrer -** 35 085 970 90
- profondeur de montage max. 163 mm
  - profondeur de montage mini. 90 mm

28 450 625

mm [inches]



Diagramme de débit



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	------------------------

UK Water Supply Regulations



Coude mural - Dark Chrome

SERIES SPECIFIC

28 450 625

Certificats et durabilité

Belgaqua\_21-381-2 IAPMO\_4976 WRAS\_240702

28 450 625

