

13 801 660 Version du produit de 28/05/2021



- saillie 200 mm
- jet normal circulaire
- rosace Ø 60 mm
- diamètre de percement 37 mm
- raccord 1/2"
- débit d'eau maxi. 24,6 l/min avec une pression d'écoulement de 3 bars

	Light Gold brossé	13 801 660-27
	Chrome	13 801 660-00
	Platine brossé	13 801 660-06
	Dark Chrome	13 801 660-19
	Light Gold	13 801 660-26
	Noir mat	13 801 660-33
	Bronze brossé	13 801 660-42
	Champagne brossé (Or 22cts)	13 801 660-46
	Champagne (Or 22cts)	13 801 660-47
	Chrome brossé	13 801 660-93
	Dark Platinum brossé	13 801 660-99


**Accessoires recommandés**




- Coude mural à encastrer - 35 085 970 90**
- profondeur de montage mini. 90 mm
  - profondeur de montage max. 163 mm

13 801 660 Version du produit de 28/05/2021

mm [inches]



**Diagramme de débit**



**Codes & Standards**

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## META Bec déverseur de bain pour montage mural - Light Gold brossé

---

META

13 801 660 Version du produit de 28/05/2021

Certificats et durabilité

---

WRAS\_250402

