


36 503 780 Version du produit jusqu'à 01/01/2022



- plaque de recouvrement 120 x 120 mm
- poignée de graduation avec bouton de sécurité à 38°C
- cartouche de thermostat

	Chrome brossé	36 503 780-93
	Chrome	36 503 780-00
	Platine brossé	36 503 780-06
	Platine	36 503 780-08
	Dark Chrome	36 503 780-19
	Light Gold brossé	36 503 780-27
	Laiton brossé (Or 23cts)	36 503 780-28
	Noir mat	36 503 780-33
	Champagne brossé (Or 22cts)	36 503 780-46
	Champagne (Or 22cts)	36 503 780-47
	Dark Platinum brossé	36 503 780-99



## Diagramme de débit



## Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



xTOOL Thermostat à encastrer sans réglage du débit 3/4" - Chrome brossé


SERIES SPECIFIC

36 503 780    Version du produit jusqu'à 01/01/2022

Certificats et durabilité

WRAS_2011	DVGW_DW-6512DN0	LGA_29	LGA_29
-----------	-----------------	--------	--------

Les pièces pour les  
autres finitions  
peuvent être  
trouvées ici : Chrome



## Liste des pièces de rechange

N°	Article Numéro	Désignation	Fréquence de montage	Délai de livraison
7	90 16 02 027 00 90	ressort	1,00	2
2	09 11 02 196-93	recouvrement	1,00	60
5	90 17 33 004 00-93	poignée	1,00	20
10	12 178 970 90	Rallonge 46 mm -	1,00	2
3	90 14 10 049 00 90	joint	1,00	2
4	90 21 02 112 00-93	douille	1,00	20
8	90 30 30 136 00 90	vis	1,00	2
9	90 31 20 049 00-13	bonde de fond	1,00	30
6	90 21 33 011 00-13	poignée	1,00	2
1	90 15 02 063 00 90	cartouche	1,00	2