

36 200 985 Versione del prodotto da 01/04/2022


- deviatore a rotazione
- rosetta 60 x 60 mm




	Champagne spazzolato (Oro 22k)	36 200 985-46
	Cromato	36 200 985-00
	cromato spazzolato	36 200 985-93
	Platinato spazzolato	36 200 985-06
	Dark Chrome	36 200 985-19
	Light Gold spazzolato	36 200 985-27
	Ottone spazzolato (Oro 23k)	36 200 985-28
	Nero opaco	36 200 985-33
	Champagne (Oro 22k)	36 200 985-47
	Dark Platinum spazzolato	36 200 985-99

36 200 985 Versione del prodotto da 01/04/2022

mm [inches]



**Diagramma di portata**



**Codes & Standards**

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

**Ü-Zeichen**



## SYMETRICS Deviatore a due vie incasso - Champagne spazzolato (Oro 22k)

SYMETRICS

36 200 985 Versione del prodotto da 01/04/2022


Certificati e sostenibilità

LGA\_38

WRAS\_2307

36 200 985 Versione del prodotto da 01/04/2022

Parts for other finishes can be found here: Cromato



### Elenco delle parti di ricambio

N.	Codice articolo	Denominazione	Quantità necessaria	Tempo di produzione
8	90 90 03 304 10 90	deviatore	1,00	2
3	09 12 12 043-46	alloggio	1,00	60
1	09 20 98 002-46	manopola	1,00	60
2	09 12 12 005 90	bussola a scatto	1,00	2
6	09 27 98 037-46	rosetta	1,00	30
7	90 21 02 181 00 90	rondella	1,00	2
5	09 31 11 294 90	perno	1,00	2
4	09 14 10 017 90	guarnizione	1,00	2