














WATER SHEET Cascade spout for wall mounting - Brushed Durabrass (23kt Gold)
IMO

13 415 979	<ul style="list-style-type: none"> • 150mm projection • CASCADE, max. flow rate 26.5 l/min (at 3 bar) • cover plate 240 x 60 mm • 1/2" connection • plug-link mounting • WRAS 1712702 	<div>  </div>	<div> <div>  Brushed Durabrass (23kt Gold) </div> <div> 13 415 979-28 </div> </div>
			<div> <div>  Chrome </div> <div> 13 415 979-00 </div> </div>
			<div> <div>  Brushed Platinum </div> <div> 13 415 979-06 </div> </div>
			<div> <div>  Platinum </div> <div> 13 415 979-08 </div> </div>
			<div> <div>  Dark Chrome </div> <div> 13 415 979-19 </div> </div>
			<div> <div>  Matte Black </div> <div> 13 415 979-33 </div> </div>
			<div> <div>  Brushed Champagne (22kt Gold) </div> <div> 13 415 979-46 </div> </div>
			<div> <div>  Champagne (22kt Gold) </div> <div> 13 415 979-47 </div> </div>
			<div> <div>  Brushed Chrome </div> <div> 13 415 979-93 </div> </div>
			<div> <div>  Brushed Dark Platinum </div> <div> 13 415 979-99 </div> </div>


Recommended miscellaneous

<div>  </div>	<div> <div> Concealed wall elbow - <ul style="list-style-type: none"> • max. recess depth 163 mm • min. recess depth 90 mm </div> <div> 35 085 970 90 </div> </div>
--	---


Recommended miscellaneous

<div>  </div>	<div> <div> Concealed wall elbow - <ul style="list-style-type: none"> • max. recess depth 163 mm • min. recess depth 90 mm </div> <div> 35 085 970 90 </div> </div>
--	---


13 415 979
mm [inches]



Flow rate chart



Trajectory diagram



Certificates

LGA_19464. WRAS_2306001.

WATER SHEET Cascade spout for wall mounting - Brushed Durabronz (23kt Gold)

IMO

13 415 979



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 23 01 057 90	flow reducer	1	2
2	90 24 03 213 00 90	connection	1	2
3	09 14 03 134 90	seal	1	2
4	04 30 31 024 01 90	fixing set	1	2
5	09 17 97 059 90	holder	1	2
6	09 31 11 036 90	pin	2	2
7	09 31 11 040 90	pin	2	2
8	09 24 03 214 90	nipple	2	2
9	09 27 78 031-28	rosette	1	20
10	09 11 78 003 20-28	spout	1	20
11	90 29 03 059 00 90	insert	1	2