

















WATER FALL Cascade spout with individual jets for wall mounting - Brushed Dark Platinum

SERIES-VARIOUS

13 425 979	Product version from 10/1/2023		
	<ul style="list-style-type: none"> PEARLSTREAM Max. flow rate 9.5 l/min (at 3 bar) Function from: l/min 		
	<div> <div>  </div> <div> Brushed Dark Platinum </div> </div>	13 425 979-99	
	<div> <div>  </div> <div> Chrome </div> </div>	13 425 979-00	
	<div> <div>  </div> <div> Brushed Platinum </div> </div>	13 425 979-06	
	<div> <div>  </div> <div> Platinum </div> </div>	13 425 979-08	
	<div> <div>  </div> <div> Dark Chrome </div> </div>	13 425 979-19	
	<div> <div>  </div> <div> Light Gold </div> </div>	13 425 979-26	
	<div> <div>  </div> <div> Brushed Light Gold </div> </div>	13 425 979-27	
	<div> <div>  </div> <div> Brushed Durabronze (23kt Gold) </div> </div>	13 425 979-28	
	<div> <div>  </div> <div> Matte Black </div> </div>	13 425 979-33	
	<div> <div>  </div> <div> Brushed Dark Brass </div> </div>	13 425 979-39	
	<div> <div>  </div> <div> Brushed Bronze </div> </div>	13 425 979-42	
	<div> <div>  </div> <div> Brushed Champagne (22kt Gold) </div> </div>	13 425 979-46	
	<div> <div>  </div> <div> Champagne (22kt Gold) </div> </div>	13 425 979-47	
	<div> <div>  </div> <div> Brushed Chrome </div> </div>	13 425 979-93	

Recommended miscellaneous		
	<div> <div>  </div> <div> Concealed wall elbow - </div> </div>	35 085 970 90
	<ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm 	


Recommended miscellaneous		
	<div> <div>  </div> <div> Concealed wall elbow - </div> </div>	35 085 970 90
	<ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm 	

WATER FALL Cascade spout with individual jets for wall mounting - Brushed Dark Platinum SERIES-VARIOUS


13 425 979 Product version from 10/1/2023
mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

ASME A112.18.1 cUPC DIN 4109 ISO 3822

Ü-Zeichen



WATER FALL Cascade spout with individual jets for wall mounting - Brushed Dark Platinum SERIES-VARIOUS

13 425 979 Product version from 10/1/2023

Certificates and sustainability

LGA_19

IAPMO_4976



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	09 17 01 185 20-99	spout	1.00	20
8	90 29 03 071 00 90	insert	1.00	2
3	09 17 97 053 90	holder	1.00	2
5	90 31 20 087 00-99	plug	1.00	20
6	09 31 11 144 90	pin	2.00	2
4	90 24 03 199 00 90	connection	1.00	2
2	09 14 05 009 90	seal	1.00	2
1	04 30 31 024 01 90	fixing set	1.00	2