

CL.1 Deck valve clockwise closing cold - Chrome

CL.1

20 006 705



- with CASCADE structure
- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking
- WRAS 240202020


| | | |
|--|-------------------------------|---------------|
|  | Chrome | 20 006 705-00 |
|  | Brushed Platinum | 20 006 705-06 |
|  | Dark Chrome | 20 006 705-19 |
|  | Brushed Champagne (22kt Gold) | 20 006 705-46 |
|  | Champagne (22kt Gold) | 20 006 705-47 |
|  | Brushed Dark Platinum | 20 006 705-99 |

CL.1 Deck valve clockwise closing cold - Chrome


CL.1

20 006 705

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------------|-------|------------------------|-----------------------------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
| NSF372 | NSF61 | Scottish Water Byelaws | UK Water Supply Regulations |

Ü-Zeichen



CL.1 Deck valve clockwise closing cold - Chrome


CL.1

20 006 705

Certificates

| | | | | |
|-------------|------------|-----------|-----------|--------|
| WRAS_240202 | IAPMO_4976 | IAPMO_N-4 | WRAS_1804 | LGA_28 |
| IAPMO_6 | | | | |

Product version from 3/9/2015





CL.1 Deck valve clockwise closing cold - Chrome

CL.1

20 006 705

Spare parts list

Product version from 3/9/2015

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------------|---------------|---------------|
| | 90 20 70 053 06-00 | handle (cold) | 8 | 10 |