

IMO Three-hole single-lever bath mixer for bath rim or tile edge installation - Dark Chrome

IMO

27 412 670

- 224mm projection
- spout: cascade
- max. flow 19.2 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 138 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

	Dark Chrome	27 412 670-19 0050
	Chrome	27 412 670-00 0050
	Brushed Platinum	27 412 670-06 0050
	Brushed Light Gold	27 412 670-27 0050
	Matte Black	27 412 670-33 0050
	Brushed Chrome	27 412 670-93 0050

Intrinsic protection against back flow.

Recommended miscellaneous

Perfecto installation kit -

12 614 970 90

Recommended miscellaneous

Decorative caps for Perfecto - Dark Chrome

• 1 pair

12 801 970-19

We reserve the right to change designs, product range and technical specifications without prior notice.

More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com

1/3


6/30/2025

IMO Three-hole single-lever bath mixer for bath rim or tile edge installation - Dark Chrome

IMO

27 412 670

mm [inches]



IMO Three-hole single-lever bath mixer for bath rim or tile edge installation -
Dark Chrome

IMO

27 412 670

