

## TARA Bath shower set for bath rim or tile edge installation - Brushed Platinum

TARA

27 512 892



- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 220mm projection
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 2250mm with integrated anti-twist protection

Also available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

	Brushed Platinum	27 512 892-06 0050
	Chrome	27 512 892-00 0050
	Platinum	27 512 892-08 0050
	Dark Chrome	27 512 892-19 0050
	Brushed Durabronze (23kt Gold)	27 512 892-28 0050
	Matte Black	27 512 892-33 0050
	Brushed Bronze	27 512 892-42 0050
	Brushed Champagne (22kt Gold)	27 512 892-46 0050
	Champagne (22kt Gold)	27 512 892-47 0050
	Brushed Chrome	27 512 892-93 0050
	Brushed Dark Platinum	27 512 892-99 0050

### Recommended miscellaneous



**Perfecto installation kit -**

12 614 970 90

### Recommended miscellaneous




**Decorative caps for Perfecto - Brushed Platinum**

• 1 pair

12 801 970-06



**Product version from 7/1/2022**





## TARA Bath shower set for bath rim or tile edge installation - Brushed Platinum

TARA

27 512 892

### Spare parts list

#### Product version from 7/1/2022

No.	Item Number	Name	Quantity used	Delivery time
	20 000 892-06	TARA Deck valve clockwise closing cold or hot - Brushed Platinum	4	10