

MEM Bath shower set for bath rim or tile edge installation - Chrome

27 532 782 Product version from 7/1/2022



- spout: rectangular normal flow
 - max. flow 27.3 l/min at 3 bar flow pressure
 - Hand shower: COMPACT RAIN, max. flow rate 8 l/min (at 3 bar)
 - complete hand shower set with anti-scale system
 - 220mm projection
 - automatic bath/shower diverter
 - height of mixer 300 mm
 - height up to aerator 170 mm
 - hole diameter valve 32 mm
 - hole diameter spout 32 mm
 - hole diameter for complete hand shower set 32 mm
 - rosette for spout 60 x 60mm
 - rosette for complete hand shower set 60 x 60mm
 - rosette for deck valve 60 x 60mm
 - metal shower hose 1750mm with integrated anti-twist protection
- Intrinsic protection against back flow.

	Chrome	27 532 782-00 0050
	Brushed Platinum	27 532 782-06 0050
	Platinum	27 532 782-08 0050
	Dark Chrome	27 532 782-19 0050
	Brushed Durabrass (23kt Gold)	27 532 782-28 0050
	Brushed Champagne (22kt Gold)	27 532 782-46 0050
	Champagne (22kt Gold)	27 532 782-47 0050
	Brushed Dark Platinum	27 532 782-99 0050

Recommended miscellaneous



Perfecto installation kit - 12 614 970 90

Recommended miscellaneous




Decorative caps for Perfecto - Chrome 12 801 970-00

• 1 pair


MEM Bath shower set for bath rim or tile edge installation - Chrome

27 532 782 Product version from 7/1/2022



MEM Bath shower set for bath rim or tile edge installation - Chrome

27 532 782 Product version from 7/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	20 000 783-00	MEM Deck valve anti-clockwise closing hot - Chrome	1	10
2	90 28 22 268 00-00	90282226800-00	1	10
3	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	1	2
4	20 000 782-00	MEM Deck valve clockwise closing cold - Chrome	1	10
5	27 702 980-00 0050	Hand shower set for bath rim or tile edge installation - Chrome	1	10