

Hand shower set with integrated shower holder - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

27 802 970



- COMPACT RAIN, max. flow rate 8 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Champagne (22kt Gold)	27 802 970-46 0050
	Chrome	27 802 970-00 0050
	Brushed Platinum	27 802 970-06 0050
	Platinum	27 802 970-08 0050
	Dark Chrome	27 802 970-19 0050
	Brushed Light Gold	27 802 970-27 0050
	Brushed Durabrass (23kt Gold)	27 802 970-28 0050
	Matte Black	27 802 970-33 0050
	Champagne (22kt Gold)	27 802 970-47 0050
	Brushed Chrome	27 802 970-93 0050
	Brushed Dark Platinum	27 802 970-99 0050

Recommended miscellaneous




Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

Hand shower set with integrated shower holder - Brushed Champagne (22kt Gold) SERIES SPECIFIC

27 802 970
mm [inches]



Flow rate chart



Hand shower set with integrated shower holder - Brushed Champagne (22kt
Gold)

SERIES SPECIFIC

27 802 970

