

Hand shower set with integrated shower holder - Dark Chrome

27 803 660 Product version from 7/1/2022



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Dark Chrome	27 803 660-19 0050
	Chrome	27 803 660-00 0050
	Brushed Platinum	27 803 660-06 0050
	Platinum	27 803 660-08 0050
	Light Gold	27 803 660-26 0050
	Brushed Light Gold	27 803 660-27 0050
	Brushed Durabronze (23kt Gold)	27 803 660-28 0050
	Matte Black	27 803 660-33 0050
	Brushed Bronze	27 803 660-42 0050
	Brushed Champagne (22kt Gold)	27 803 660-46 0050
	Champagne (22kt Gold)	27 803 660-47 0050
	Brushed Chrome	27 803 660-93 0050
	Brushed Dark Platinum	27 803 660-99 0050

Recommended miscellaneous

Concealed wall elbow -

35 085 970 90




- max. recess depth mm
- min. recess depth mm

Hand shower set with integrated shower holder - Dark Chrome

27 803 660 Product version from 7/1/2022

mm [inches]




Flow rate chart



Hand shower set with integrated shower holder - Dark Chrome

27 803 660 Product version from 7/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 014 979-19 0050	Hand shower 6.8 l/min - Dark Chrome	1	-
Spare part can no longer be ordered, please order the replacement item				
	28018979-190050	Hand shower - Dark Chrome		
2	28 490 660-19	Wall elbow with integrated shower holder - Dark Chrome	1	20
3	90 30 02 072 00-19	Metal shower hose 1/2" x 3/8" x 1250 mm - Dark Chrome	1	20
4	90 14 20 026 00 90	seal	1	2